US ERA ARCHIVE DOCUMENT

Ontario's Coal Tar Sealant Work 2009-11

Victor Li, P. Eng.

Environmental Protection
Operations Division - Ontario

Environment Canada

Outline

 Background – Work done by Environment Canada in 2009 and 2010

2010/11 University of Toronto Study

2009 Work

- Student conducted review for driveway sealers in Ontario
- Commercial use was very limited (if at all)
- Residential use by Do-it Yourself was still practiced
- Some local retailers sell Coal Tar products for driveway sealers

2010 Work


- Another student developed test plan to collect field samples and measure the impacts
- Also surveyed contractors in the Greater Toronto Area
 - Significant amount still use Coal Tar driveway sealer for their work
 - · Better durability
 - Cheaper
 - Fewer complaints

2010/11 Work

- Worked with University of Toronto
 - More in-depth review and identification of Coal Tar Sealant (CTS) presence in the Greater Toronto Area


Method

- Scrappings (92) collected from 0.25 m² areas of commercial parking lots (47) and residential driveways (45)
- Extraction via dichloromethane to dissolve binder material
- Cleaned via solid phase extraction
- Analysed via Gas Chromatography Mass Spectrometry
- CTS presence in Greater Toronto Area estimated by:




Summarised Sample Results


Material (Scraping)	Concentration (mg/kg)	
	This Study	Mahler et al. 2005
Coal Tar Sealant	130 – 24,000	9,500 – 83,000
Asphalt Sealcoats	2 – 61	340 – 2,000
Uncoated Asphalt	0.1 – 0.9	7.1 – 20
Other	0.02 - 0.1	




Highlighted area indicating samples containing Coal Tar Sealant material


Sampling Locations






Samples containing Coal Tar Sealants had much greater PAH concentrations than other samples (Y-axis is a log scale)






- PAH in two commercially available coal tar sealcoat emulsions
- "Wet" is the original material from the container
- "Dried" has been dried for ~48 hours
- High loss of compounds during drying, due to volatilization

Units: kg/y



PAH loading from Toronto to nearshore Lake Ontario (Diamond et al. 2010).

Estimated loadings to surface water from CTS wash-off







For more information:

Victor Li Environment Canada - Ontario Region victor.li@ec.gc.ca (416) 739-5801